

डॉ. बाबासाहेब आंबेडकर मराठवाडा विद्यापीठ, छत्रपती संभाजीनगर

नॅक समिती तर्फे 'अ+' दर्जा प्राप्त

ई.पी.ए.बी.एक्स. :- (०२४०) २४०३३९७ ते ४००
 कार्यालय दूरध्वनी :- (०२४०) २४०३१०४ ते १०६
 कुलसचिव (का). :- (०२४०) २४०३३३३
 कुलसचिव (नि). :- (०२४०) २४००२०३
 फॅक्स :- (०२४०) २४०३११३ / २४०३३३५
 तार :- बामुसिटी
 Web Site :- www.bamu.ac.in
 E-mail :- registrar@bamu.ac.in



विद्यापीठ परिसर,
 छत्रपती संभाजीनगर - ४३१ ००४
 (महाराष्ट्र)

संदर्भ क्र. स्थावर/क.अ./२०२६-२७/ 534

दिनांक: ०२/०७/२०२६

14

विषय: दरपत्रक सादर करणे बाबत.

महोदय,

वरील विषयास अनुसरुन कळविण्यात येते की, स्थावर विभागात **Wiring at P.G. Section & Eligibility Section in University Campus** खरेदी/ सेवा / देखभाल दुरुस्तीसाठी खाली नमुद केलेल्या तांत्रिक बाबींची पूर्तता करुन दि. 21/07/26, रोजी दुपारी 03:00 PM वाजेपर्यंत दरपत्रक सादर करावेत.

Sr. No.	Name of the Article with Description or Specification	Qty.	Rate		Total Cost
			Per Unit	Rs.	Rs.
1.	As per Schedule Attached (CSR 2022-23)	01	Job Work	271469.00	271469.00

Quoted Percentage ----- (in figures as well as in words)

दरपत्रका सोबत खालील कागदपत्रे जोडणे आवश्यक आहे.

1. Copy of acknowledgement of Income Tax Return for last financial year
2. Copy of Registration PWD/MSEB/MJP Certificate & Electrical Contractor License Copy
3. PAN Card.
4. GST Registration.
5. Experience simillar type of work done certificate.

विशेष टिप्पणी :-

- दरपत्रके दोन लिफाफ्यात सादर करावीत १) एका लिफाफ्यात वरील प्रमाणे तांत्रिकबाबीसह उपरोक्त कागदपत्रे असावीत २) दुसऱ्या लिफाफ्यात फक्त दर नमूद केलेले असावेत (दर सर्वकरांसहीत नमूद करावेत).
- नियमानुसार उपरोक्त कागदपत्रे आणि तांत्रिकबाबी असलेला पहिला लिफाफा उघडण्यात येईल. सर्व कागदपत्रे आणि विभागाच्या तांत्रिक बाबींची पूर्तता करणाऱ्या पुरवठाधारकांचा दर नमूद असलेला दुसरा लिफाफा उघडण्यात येईल.
- पात्र पुरवठाधारकांच्या कंपनीची प्रत, साहित्य कोणत्या कंपनीचे आहे, त्याची गुणवत्ता/दर्जा, विद्यापीठास सेवा दिलेली असल्यास समानधाकारक आहे किंवा नाही, या सर्व बाबींचा विचार करून साहित्य खरेदीची पुढील प्रक्रिया करण्यात येईल
- फक्त ब्रॅन्डेड कंपनीचेच दर नमूद केलेले असावेत. लोकल मेड किंवा असेम्बल केल्या जाणाऱ्या साहित्याचा खरेदी/सेवा देखभाल दुरुस्तीकरीता प्राप्त दरपत्रकांचा विचार केला जाणार नाही.
- अधिकृत विक्रेता, अधिकृत वितरक, मुळ उत्पादक, लघु उद्योजक यांनी संबंधीत कागदपत्रे तांत्रिक लिफाफ्यासोबत सादर करावीत.
- पात्र पुरवठाधारकांनी सादर केलेले दर आणि प्रचलित बाजार दर तपासून सर्वात कमी (L₁) दर नमूद करणाऱ्या पुरवठाधारकांसोबत दरवाटाघाटी करण्यात येतील.
- दरवाटाघाटी नंतर अंतिम ठरलेल्या पुरवठाधारकांस रु. १ लक्ष वरील खरेदीसाठी आदेशप्रपत्र देण्यापूर्वी (As per Accounts Code 5.44) ५ % सुरक्षा ठेव (Security Deposit) ०१ वर्षाच्या कालावधी करीता वित्त व लेखा विभागात जमा करावी लागेल.
- रु. २.५० लक्ष वरील खरेदी, सेवा व देखभाल दुरुस्तीसाठी शासन निर्णयानुसार GST TDS 2% कपात केला जाईल असा उल्लेख दरमागणीपत्रात करण्यात यावा.


कार्यकारी अभियंता

Schedule B for Electrical Installation(wiring) work at PG section & Eligibility section

Sr. No.	Item No (1)	Short Description (2)	Unit (3)	Completed rate (4)	Qty	Amount Rs.
1	1-2-1 (New)	Supplying and erecting 20mm dia. corrugated flexible polypropylene conduit	m	16	10.5	168
2	1-2-4	Supplying and erecting HMS PVC conduit FRLS grade 25 mm dia. with PVC accessories on wall /ceiling as per specification No: WG-MA/CON.	m	96	9.5	912
3	1-2-7	Supplying and erecting PVC trunking (PVC casing-n-capping) of size 25 mm with accessories on wall/ceiling as per specification No: WG-MA/CON.	m	44	67	2948
4	1-2-8	Supplying and erecting PVC trunking (PVC casing-n-capping) of size 32 mm with accessories on wall/ceiling as per specification No: WG-MA/CON.	m	53	322	17066
5	1-3-1	Supplying and erecting mains with 2x1.5 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places as per specification No: WG-MA/BW	m	40	140	5600
6		Supplying and erecting mains with 1x1.5 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places as per specification No: WG-MA/BW	m	20	140	2800
7	1-3-2	Supplying and erecting mains with 2x2.5 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places. as per specification No: WG-MA/BW	m	62	230	14260
8	1-3-2	Supplying and erecting mains with 1x2.5 sq.mm FRLSH copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places. as per specification No: WG-MA/BW	m	31	230	7130
9	1-6-1	Supplying and erecting modular type switch 6A / 10A duly erected on provided plate and box with wiring connections complete.	Each	72	15	1080
10	1-6-2	Supplying and erecting modular type switch 16A duly erected on provided plate and box with wiring connections complete.	Each	106	19	2014
11	1-6-10	Supplying and erecting modular type 3 pin 6A multi socket with safety shutter , duly erected on provided plate and box with wiring connections complete.	Each	112	28	3136
12	1-6-11	Supplying and erecting modular type 3 pin 6 / 16A multi socket with safety shutter , duly erected on provided plate and box with wiring connections complete.	Each	160	19	3040
13	1-7-21	Point wiring for independent plug in PVC trunking (casing-capping) with 1.5 sq.mm (2+1E) FRLSH grade copper wire, modular type switch, earthing and required accessories as per specification No: WG-BW/WH	Point	748	7	5236
14	1-7-19	Point wiring for light/bell/exhaust fan in PVC trunking (casing-capping) with 1.5 sq.mm (2+1E) FRLSH grade copper wire, modular type switch, earthing and required accessories as per specification No: WG-BW/WH	Point	552	31	17112
15	2-1-17	Supplying and erecting CRCA powder coated corridor/passage light LED fitting (4 feet) Max. 17W with high transitivity diffuser with system lumens output of Min. 2000 lumens , min. efficacy of 100 lm/W as per specification No: WG-BW/WH	Each	619	31	19189
16	2-10-21	Supplying and erecting energy saving ceiling fan 230 V A.C. 50 cycles 1200 mm complete erected in position as per specification no. FG-FN/CF	Each	2397	11	26367

17	2-10-13	Supplying and erecting fresh air cum exhaust fan of light duty 250 V A.C. 50 cycles 300mm . 1400 RPM rust proof body & blades, wire mesh, duly erected, complete.	Each	1582	2	3164
18	2-11-2	Supplying & fixing anchor type fastener fan hook , with 2 nos. of 10 mm dia x 75 mm long with necessary materials for ceiling fan.	Each	103	11	1133
19	2-11-6	Supplying and erecting 'B' class G.I. pipe / M.S. pipe down rod duly painted for fan complete erected with PVC three core flexible cable 1 sq. mm copper PVC wire.	m	229	11	2519
20	1-6-23	Supplying and erecting modular type (two module) electronic step regulator for fan , duly erected on provided plate and box with wiring connections complete.	Each	382	11	4202
21	5-3-2	Supplying, erecting & marking SPMCB 6A to 32A, C-series with rated short - circuit breaking capacity (Icn) 10kA in provided distribution board as per specification no. SW-SWR/ MCB	Each	174	20	3480
22	5-3-3	Supplying, erecting & marking SPMCB 6A to 32A, B-series with rated short - circuit breaking capacity (Icn) 10kA in provided distribution board as per specification no. SW-SWR/ MCB	Each	173	7	1211
23	5-3-6	Supplying, erecting & marking DPMCB 6A to 32A, C-series with rated short - circuit breaking capacity (Icn) 10kA in provided distribution board as per specification no. SW-SWR/ MCB	Each	535	2	1070
24	5-3-11	Supplying, erecting & marking TPMCB 40A to 63A , with rated short - circuit breaking capacity (Icn) 10kA in provided distribution board as per specification no. SW-SWR/ MCB	Each	992	2	1984
25	5-4-1	Supplying & erecting triple pole and neutral distribution board (TPNDB) , SPMCB of 4 ways/phase (12 poles) , with door, 1.2mm thickness, surface/flush mounted, IP 43 protection on iron/GI	Each	2356	2	4712
26	5-4-9	Supplying and erecting single pole and neutral distribution board (SPNDB) , with 2 ways for incoming and 10 ways (10 poles) for outgoing SP MCBs , with door, 1.2mm thickness surface / flush	Each	1495	1	1495
27	5-4-13	Supplying & erecting CRCA sheet metal one way enclosures of 1.2mm thickness suitable for DP MCB /TP MCB/FP MCB/RCCB/RCBO complete erected on angle iron/GI frame.	Each	400	5	2000
28	5-4-14	Supplying and erecting blanking plate of suitable size on MCBDB.	Each	15	4	60
29	6-1-19	Supplying and erecting iron work, sheet metal work consisting of CRCA sheets, various sections of iron, plates, chequered plates, rods, bars, MS pipes, etc. for panel board or any other purpose with	kg	186	20	3720
30	9-1-1	Providing earthing with galvanized iron earth plate size 60 x 60 x 0.6 cm complete with all materials, testing & recording the results as per specification no. EA-EP	Each	4714	2	9428
31	9-1-6	Providing earthing with copper earth plate size 60 x 60 x 0.315 cm with funnel with a wire mesh for watering and brick masonry block C.I. cover with minimum 25 kg Carbon based environment friendly	Each	15734	1	15734
32	7-1-26	Supplying, erecting & terminating FR XLPE insulated, galvanised steel formed wire armoured (strip) cable 1100 V, 4 core 4 sq. mm. aluminium conductor complete erected with glands & lugs, on	m	135	30	4050

33	7-1-29	Supplying, erecting & terminating FR XLPE insulated, galvanised steel formed wire armoured (strip) cable 1100 V, 4 core 16 sq. mm. aluminium conductor complete erected with glands & lugs, on	m	211	190	40090
34	2-3-13	Supplying and erecting ding dong / electronic musical type call bell with heavy duty coil suitable to operate on 230V A.C. supply erected on polished double wooden block/sunmica block of suitable size.	Each	140	3	420
35	9-2-6	Supplying and erecting aluminium strip of required sizes used for earthing on wall and/or any other purpose with necessary aluminium clamps fixed on wall with insulating and non-corrosive bond with	kg	640	4	2560
36	1-6-29	Supplying and erecting PVC Surface modular switch box with double mounting plate for 4 module duly erected.	Each	172	5	860
37	1-6-30	Supplying and erecting PVC Surface modular switch box with double mounting plate for 6 module duly erected.	Each	222	1	222
38	1-6-31	Supplying and erecting PVC Surface modular switch box with double mounting & front plate for 8 module complete duly connected.	Each	262	14	3668
39	1-6-24	Supplying and erecting modular type blanking plate one module , duly erected on provided plate & box.	Each	21	1	21
40	5-6-6	Supplying, erecting & commissioning 4 pole RCCB 63A , electromagnetic type with 30/100/300 mA sensitivity with earth leakage trip indication complete as per specification no. SW-RCCB/RCCB	Each	2924	2	5848
41	7-6-9	Supplying and laying (including excavation of suitable width & depth up to 90 cm) 50 mm outside dia. double wall corrugated pipes (DWC) of HDPE for enclosing cable below ground/road surface, to	m	210	110	23100
42	9-2-3	Supplying and erecting GI strip of high purity required size used for earthing on wall and/or any other purpose with necessary GI clamps fixed on wall painted with bituminous paint with joints required. As	kg	222	30	6660
					Total	271469