

पश्चिमी क्षेत्रीय कार्यालय Inword No... 1646
WESTERN REGIONAL OFFICE

अखिल भारतीय तकनीकी शिक्षा परिषद

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(A Statutory Body of the Government of India) (भारत सरकार का एक विधिक संस्थान)

इन्डस्ट्रियल एश्योरन्स बिल्डिंग, दूसरी मंजिल,
वीर नरिमान रोड, चर्चगेट, मुंबई - ४०० ०२०
दूरभाष : (०२२) २८५ ५४९२, २८२ ९०९३
फैक्स : (०२२) २८५ ९५५९



Industrial Assurance Building,
2nd Floor, Veer Nariman Road,
Churchgate, Mumbai - 400 020.
Tel. : (022) 285 5412, 282 1093
Fax : (022) 285 1551

No.F.22-2098/2002 .Ext.(Govt/Aided/Univ)

Date:11/02/2002

To,
The Principal / Head of the Institution,
Dr. Babasaheb Ambedkar
Marathwada University,
Deptt of Chemical Technology,
Aurangabad.

SPEED-POST

**Subject : Consideration for extension of AICTE approval period for the
existing Govt/ Aided / University Deptt. Institutions for the
year 2002 - 2003 -**

Sir,

I am to invite reference to the subject and to inform that the processing for extension of AICTE approval period for the year 2002 - 2003 in respect of existing institutions has been proposed to be undertaken by the Regional Office very shortly.

In this connection, you are also requested to fill and submit required information as per the enclosed proforma not later than **28th February, 2002. While filling up the proforma, it may be kindly noted that the Institute shall leave the space blank wherever "Observation of the Expert Committee" is written in the proforma for the use of Experts only.**

It is to be noted that only after the receipt of the proforma duly filled in and sent on or before **28th February, 2002**, the Council will consider further processing of the proposal by conducting Expert Committee visit/ scrutiny.

It is also to kindly inform that as Govt / Aided / University Deptt. Institutions are exempted from payment of processing fees, they may not remit any processing fees to this Office.

Yours faithfully,

(RAJIV D. SAHANI)
REGIONAL OFFICER &
MEMBER-SECRETARY, W.R.C.

Mrs S.M. Binnale
Pl. type the
all forms urgently
Encl: a.4.