

EPABX * (0240) 2403397 to 400
Off. Tele * (0240) 2403104 to 106
Registrar * (Offi.) (0240) 2403333
(Resi.) (0240) 2400203
Fax * (0240) 2403113 / 2403335
Web Site * www.bamu.net
E-mail * vc@bamu.net
E-mail * registrar@bamu.net



Ref. No.UE/TA/2025-26/ 70

Date: - 09/04/2026

16

INVITATION OF QUOTATIONS IN TWO BIDS SYSTEMS

(Last Date for Submission 28.04.26@12 PM)

To:
M/s: _____

Name of work: - Providing Platform at Adult education department for Ph.D. section in the premises of Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajinagar.

The Terms & Conditions on the reverse should be read carefully and noted in order to comply.

SCHEDULE - B

| Item No | Description of Item | Qty | Unit | Rate | Amount |
|---------|--|-------|------|---------|----------|
| 1 | Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cementmortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete(I.No.27.05) | 3.69 | CUM | 9020.86 | 33286.97 |
| 2 | Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete. (I.No.32.11) | 10.98 | SQM | 699.22 | 7677.44 |
| 3 | Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete. (I.No.21.37) | 3.74 | Cum | 834.75 | 3121.97 |
| 4 | Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete.(I.No.21.40) | 2.44 | Cum | 1977.76 | 4825.73 |
| 5 | Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc) (I.No.24.01) | 2.64 | Cum | 6750.70 | 17821.85 |

| | | | | | |
|---|--|-------|------|-----------|---------------|
| 6 | Providing structural steel work in hollow section of various thickness and sizes in square, rectangular and round shape from 25mm to 450mm section as per IS 4923 YST 310 Grade produced from iron ore and blast furnace route etc. as per detailed designs and drawing or as directed including cutting, fabricating, hoisting, erecting, fixing in position, making riveted/bolted/ welded connections and painting complete.. (I.No.23.12) | 0.29 | MT | 124729.50 | 35547 |
| 7 | Providing and fixing of colour coated Zinc aluminium (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyster paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950- 1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center-to-center. The end rib shall be designed for anti-capacity groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 kg/sqm) 900 mm girth (Surface Width)...(I.No.38.36) | 39.60 | Sq.M | 1121.40 | 44407.44 |
| 8 | Royalty against extraction of material such as metal, sand , murum, rubble. etc. for construction work. | | | | |
| | For Sand | 2.81 | Cum | 237.37 | 667.01 |
| | For Metal | 4.93 | Cum | 216.18 | 1065.77 |
| | Estimated Amount | | | | 148423 |

[Signature]
TA

[Signature]
JE

[Signature]
Dy.E

[Signature]
EE

[Signature]
Registrar

TERMS AND CONDITIONS

1. The quotation should be addressed to Registrar, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajanagar & submitted in the office of Executive Engineer, Estate Section, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajanagar
2. The Contractor should provide following document at the time of submission of Quotation:-

(A) ENVELOPE NO. 1 DOCUMENTS

The first envelope "Envelope No.1" shall contain the following documents.

- i. **The Earnest Money Deposit** shall be paid via Demand Draft mode only. The DD should be enclosed. (D.D. of Rs. 1500)
 - ii. **Copy** of Certificate in Original or an attested copy as a registered contractor with (a) State P.W.D. (b) State Irrigation Dept. (c) Maharashtra Jeevan Pradhikaran Authority. (d) Municipal Corporation etc. I M.I.D.C. in appropriate class as may be applicable of civil, valid on the date of submission.
 - iii. **Copy** of Income tax return FY 2024-25, i.e. AY 2025-26
 - iv. **Copy** of pan Card.
 - v. **Copy** of valid registration certificate under good and service tax Act 2017.
 - vi. **Copy** of details of satisfactorily completed a. should not less than 80 % for one similar work of estimated amount of the tender called, b. Two similar works whose cost wise work should not less than 50% of estimated amount of the tender called, c. Three similar works whose cost wise work Should not less than 40% estimated amount of the tender called in any Govt. or Semi Govt. organization only during last five years i.e.,2020-21, 2021-22, 2022-23, 2023-24, 2024-25 (In the proforma of Statement No. III). (As Per G.R. No.सकीर्ण /२०१९/प्र क्र ४७/इमास्ती -२, दि. २५/१०/२०१९)
3. SGST and CGST have been implemented by the respective Govt. with effect from 01/07/2017. So contractor must quote his rate keeping effect of GST in mind & no claims will be accepted by this office in connection to GST later.
 4. The successful bidder has to submit all the supported documents/ bills/ vouchers of the materials brought at site while claiming the bills.
 5. Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajanagar does not bind itself to accept the lowest or any such quotation and has the right to accept or reject whole or any part of tenders or a portion of the work without assigning any reasons. No correspondence in case of rejected tenders will be entertained. Incomplete quotations are liable to be rejected.

All questions, disputes or differences arising under and out of or in connection with the contract, if concluded, shall be referred to the sole arbitrator appointed by the Registrar, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajanagar.

ANNEXURE - B

The building materials of product listed below shall be considered good materials and this tender should be based on the use of the materials of the following manufacturers. In case any of the following make material is not available, hence in such case, the other make can be allowed only on satisfactory evidence of non-availability of prescribed make. In both the cases the necessary tests need to be done only from the approved laboratories. The Executive Engineer & Architect may allow alternate make in case of any genuine problem.

| Sr. No. | Material | Make |
|---------|---|---|
| 1 | Cement | Brand of cement in 53 grade – BIRLA SUPER / BIRLA A-1 / BIRLA GOLD / ULTRATECH / AMBUJA/ COROMANDAL / J.K. Cement |
| 2 | Steel reinforcement | |
| | Integrated plant | TMT steel as per IS 1786 |
| 3 | CRS steel | TISCO / RashtriyaIspat Nigam Ltd. / SAIL |
| 4 | G.I. item | Prakash-Surya / Swastik / Zenith |
| 5 | Plywood, Block board, flush door | Indian Plywood manufacturing Co. Ltd. / Anchor / Kitply / Swastik / Green Ply/ Century Ply |
| 6 | Glass | Ashish Glass / Modiguard / Saintgobain |
| 7 | Terrazzo Tiles | NITCO |
| 8 | Chequered Tiles | Sample approved by architect |
| 9 | Concrete Pavers block | Sample approved by architect |
| 10 | Glazed Tiles | Somany / Kajaria / Pedder / NITCO / Johnson & Johnson / Oasis / Asian |
| 11 | Ceramic | Kajaria / Pedder / Somany / NITCO / Johnson & Johnson / Oasis / Asian / Regency/Orient Bell |
| 12 | Vitrified tiles | NITCO / Kajaria / Pedder / Somany / Johnson & Johnson / Oasis / Asian / Spartex / Orient Bell |
| 13 | Laminates | Formica / Sunglass / Decolam / Royal Touch / Greenlam / Century |
| 14 | Paints | Berger / Jenson Nicholson / Nerolac / Asian Paint |
| 15 | Acrylic Emulsion Paint | Dulux / Berger / Asian Paint |
| 16 | Water Proof cement paint | Killick Nixon / Snowcem / Duracem |
| 17 | Aluminium Sections | INDAL / JINDAL |
| 18 | Pipes, waste water and vent pipes & fittings | SWR Supreme pipes / Ashirwad / Kisan / Kothari / Premier |
| 19 | G.I. Pipes | Zenith / Prakash / Surya / Swastic |
| 20 | Valves | Leader / Win / Elco |
| 21 | Rain water pipes | Supreme pipes / Ashirwad / Kisan / Kothari / Premier |
| 22 | Sanitary wares | Hindustan Sanitary Wares / 'CERA' / Parry Engineering & Electronic / Jonson & Jonson |
| 23 | Water supply fittings heavy type fittings | Jacquar / Hind ware/ L & K |
| 24 | PVC Doors, shutters, Tanks | SINTEX |
| 25 | Cement Concrete Pipes | Sample approved by architect |
| 26 | C.I. Soil pipe, waste water pipes, vent pipes fittings, Nahani trap | NECO of ISI 3989 |
| 31 | Stainless steel sink | Nirali / Neelkanth |
| 35 | Galvanized Circular pipes & square / rectangle tubes | Zenith / Prakash-Surya / Swastic |