

DR. BABASAHEB AMBEDKAR MARATHWADA UNIVERSITY,
CHHATRAPATI SAMBHAJINGAR- 431 004, Maharashtra State (India)
NAAC - Accredited A+

EPABX :- (0240) 2403397 to 400
Off. Tele :- (0240) 2403104 to 106
Registrar :- (Offi.) (0240) 2403333
(Resi.) (0240) 2400203
Fax :- (0240) 2403113 / 2403335



UNIVERSITY CAMPUS
CHH. SAMBHAJINAGAR-431004
(Maharashtra) INDIA

Web Site :- www.bamu.net
E-mail :- vc@bamu.net
E-mail :- registrar@bamu.net

Ref. No. UE/TA/2026-27/ 144

Date: 27/04/2026

28

Corrigendum

Subject : Time Extension of Quotation work.
Name of Work : 1. Providing platform & shed at Adult Education department for Ph.D. section.
2. Renovation work of servant quarter at V.C. bungalow

The Quotation has been invited for **Providing platform & shed at Adult Education department for Ph.D. section and Renovation work of servant quarter at V.C. bungalow**. Also published on University website.

Due to poor response for the above said quotation i.e. **Providing platform & shed at Adult Education department for Ph.D. section and Renovation work of servant quarter at V.C. bungalow** has been extended up to 5:00 PM, 29/04/2026.


Executive Engineer

EPABX : (0240) 2403397 to 400
 Off. Tele : (0240) 2403104 to 106
 Registrar : (Offi.) (0240) 2403333
 (Resi.) (0240) 2400203
 Fax : (0240) 2403113 / 2403335
 Web Site : www.bamu.net
 E-mail : vc@bamu.net
 E-mail : registrar@bamu.net



Ref. No.UE/TA/2026-27/

Date: - 09/04/2026

INVITATION OF QUOTATIONS IN TWO BIDS SYSTEMS

(Last Date for Submission 23.04.26 @ 12 PM)

Last Date 29.04.2026 @ 5 PM

To: _____
M/s: _____

Name of work: - Renovation work at servant quarter at VC bungalow in the premises of Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajnagar..

The Terms & Conditions on the reverse should be read carefully and noted in order to comply.

SCHEDULE - B

em No	Description of Item	Qty	Unit	Rate	Amount
1	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cementmortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete(I.No.27.05)	2.11	CUM	9020.86	19034.01
2	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete. (I.No.32.11)	26.01	SQM	699.22	18186.71
3	Providing and fixing M40 grade thick vibrated pull cast or similar type concrete frame with chamfer conforming to I.S. 65241983 having 6 mm dia bars 3 Nos. And strips @250 mm c/c and fixing in wall with 6 Nos. of hold fast of 12 mm dia bars 500 mm long including primer and oil painting etc, complete) frame size 60 mm x 125 mm.	20.72	Rgm	1201.20	24888.86
4	Providing and Fixing 32 mm thick One piece single moulded puff ABSTRONE BUTADYNE STYRINE (ABS) Door shutter for internal use including toilets made up of outer ABS sheet of 1.2 mm thick having puff insulation of 35 to 40 Kilogram/One Cubic Metredensity and 10 mm dia.for steel bars 2 Nos., wooden block to receive fixtures, having M.S. hinges 100 mm length, M.S. handles 150 mm length and 10 mm dia sliding door bolt etc. complete	3.78	SQM	5723.55	21635.02

5	Providing and fixing solid core flush door shutter in single leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete.	7.56	Sqm	3232.95	2444
6	Providing structural steel work in hollow section of various thickness and sizes in square, rectangular and round shape from 25mm to 450mm section as per IS 4923 YST 310 Grade produced from iron ore and blast furnace route etc. as per detailed designs and drawing or as directed including cutting, fabricating, hoisting, erecting, fixing in position, making riveted/bolted/ welded connections and painting complete.. (I.No.23.12)	0.35	MT	124729.50	4315
7	Providing and fixing of colour coated Zinc aluminium (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950- 1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center-to-center. The end rib shall be designed for anti-capacity groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 kg/sqm) 900 mm girth (Surface Width)...(I.No.38.36)	65.45	Sq.M	1121.40	73395
6	Dismantling flat wooden or A.C. Sheet ceiling with frame work including stacking the materials as directed with all leads, lifts etc. complete.	66.30	SQM	63.00	4176.9
7	Providing and applying Two coats of wall care Putty on plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.e . SSR Item No. 32.34	198.00	Sqm	94.50	18711.0
8	Providing and applying priming coat on concrete/ masonry/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc.	198.00	Sqm	37.80	7484.4

complete(I.No.35.21)				
Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete.. (I.No.36.12)	198.00	Sqm	84.00	16632.00
Providing and applying two coats of exterior acrylic emulsion paint conforming to corresponding I.S. of approved manufacture and of approved colour to the plastered surfaces including cleaning ,preparing the plaster surface, applying primer coat ,scaffolding if necessary , and watering the surface for two days etc complete.	100.82	SQM	274.05	27629.72
Royalty against extraction of material such as metal, sand , murum, rubble, etc. for construction work.				
For Sand	1.54	Cum	237.37	365.55
For Metal	0.00	Cum	216.18	0.00
Estimated Amount				299738

DA

DE

Dy.E

EE

[Signature]
Registrar

TERMS AND CONDITIONS

1. The quotation should be addressed to Registrar, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajnagar & submitted in the office of Executive Engineer, Estate Section, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajnagar
2. The Contractor should provide following document at the time of submission of Quotation:-

(A) ENVELOPE NO. 1 DOCUMENTS)

The first envelope "Envelope No.1" shall contain the following documents.

- i. **The Earnest Money Deposit** shall be paid via Demand Draft mode only. The DD should be enclosed. **(D.D. of Rs. 3000)**
 - ii. **Copy of Certificate** in Original or an attested copy as a registered contractor with (a) State P.W.D. (b) State Irrigation Dept. (c) Maharashtra Jeevan Pradhikaran Authority, (d) Municipal Corporation etc. I M.I.D.C. in appropriate class as may be applicable of civil, valid on the date of submission.
 - iii. **Copy of Income tax return** FY 2024-25, i.e. AY 2025-26
 - iv. **Copy of pan Card.**
 - v. **Copy of valid registration certificate** under good and service tax Act 2017.
 - vi. **Copy of details of satisfactorily completed** a. should not less than 80 % for one similar work of estimated amount of the tender called, b. Two similar works whose cost wise work should not less than 50% of estimated amount of the tender called, c. Three similar works whose cost wise work Should not less than 40% estimated amount of the tender called in any Govt. or Semi Govt. organization only during last five years i.e., 2020-21, 2021-22, 2022-23, 2023-24, 2024-25 (In the proforma of Statement No. III). (As Per G.R. No.सक्कीर्ण /२०१९/प्र क्र ४७/इमारती -२, दि. २५/१०/२०१९)
3. SGST and CGST have been implemented by the respective Govt. with effect from 01/07/2017. So contractor must quote his rate keeping effect of GST in mind & no claims will be accepted by this office in connection to GST later.
 4. The successful bidder has to submit all the supported documents/ bills/ vouchers of the materials brought at site while claiming the bills.
 5. Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajnagar does not bind itself to accept the lowest or any such quotation and has the right to accept or reject whole or any part of tenders or a portion of the work without assigning any reasons. No correspondence in case of rejected tenders will be entertained. Incomplete quotations are liable to be rejected.

All questions, disputes or differences arising under and out of or in connection with the contract, if concluded, shall be referred to the sole arbitrator appointed by the Registrar, Dr. Babasaheb Ambedkar Marathwada University, Chhatrapati Sambhajnagar.

ANNEXURE - B

The building materials of product listed below shall be considered good materials and this tender should be based on the use of the materials of the following manufacturers. In case any of the following make material is not available, hence in such case, the other make can be allowed only on satisfactory evidence of non-availability of prescribed make. In both the cases the necessary tests need to be done only from the approved laboratories. The Executive Engineer & Architect may allow alternate make in case of any genuine problem.

Sr. No.	Material	Make
1	Cement	Brand of cement in 53 grade – BIRLA SUPER / BIRLA A-1 / BIRLA GOLD / ULTRATECH / AMBUJA/ COROMANDAL / J.K. Cement
2	Steel reinforcement	
	Integrated plant	TMT steel as per IS 1786
3	CRS steel	TISCO / RashtriyaIspat Nigam Ltd. / SAIL
4	G.I. item	Prakash-Surya / Swastik / Zenith
5	Plywood, Block board, flush door	Indian Plywood manufacturing Co. Ltd. / Anchor / Kitply / Swastik / Green Ply/ Century Ply
6	Glass	Ashish Glass / Modiguard / Saintgobain
7	Terrazzo Tiles	NITCO
8	Chequered Tiles	Sample approved by architect
9	Concrete Pavers block	Sample approved by architect
10	Glazed Tiles	Somany / Kajaria / Pedder / NITCO / Johnson & Johnson / Oasis / Asian
11	Ceramic	Kajaria / Pedder / Somany / NITCO / Johnson & Johnson / Oasis / Asian / Regency/Orient Bell
12	Vitrified tiles	NITCO / Kajaria / Pedder / Somany / Johnson & Johnson / Oasis / Asian / Spartex / Orient Bell
13	Laminates	Formica / Sunglass / Decolam / Royal Touch / Greenlam / Century
14	Paints	Berger / Jenson Nicholson / Nerolac / Asian Paint
15	Acrylic Emulsion Paint	Dulux / Berger / Asian Paint
16	Water Proof cement paint	Killick Nixon / Snowcem / Duracem
17	Aluminium Sections	INDAL / JINDAL
18	Pipes, waste water and vent pipes & fittings	SWR Supreme pipes / Ashirwad / Kisan / Kothari / Premier
19	G.I. Pipes	Zenith / Prakash / Surya / Swastic
20	Valves	Leader / Win / Elco
21	Rain water pipes	Supreme pipes / Ashirwad / Kisan / Kothari / Premier
22	Sanitary wares	Hindustan Sanitary Wares / 'CERA' / Parry Engineering & Electronic / Jonson & Jonson
23	Water supply fittings heavy type fittings	Jacquar / Hind ware/ L & K
24	PVC Doors, shutters, Tanks	SINTEX
25	Cement Concrete Pipes	Sample approved by architect
26	C.I. Soil pipe, waste water pipes, vent pipes fittings, Nahani trap	NECO of ISI 3989
31	Stainless steel sink	Nirali / Neelkanth
35	Galvanized Circular pipes & square / rectangle tubes	Zenith / Prakash-Surya / Swastic