



अखिल भारतीय तकनीकी शिक्षा परिषद् ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(भारत सरकार का सांविधिक निकाय) (A statutory body of the Govt. of India)

F. No. 740-89-351(E)/ET/99

May 2, 2008

To,
The Principal Secretary,
Higher & Technical Education and Employment Development,
Govt. of Maharashtra,
Mantralaya, Mumbai - 400 032

Sub: Extension of approval to DEPARTMENT OF CHEMICAL TECHNOLOGY, DR. BABASAHEB AMBEDKAR MARATHWADA UNIVERSITY, AURANGABAD - 431 004.

Sir,

As per the Regulations notified by the Council vide F.No. 37-3/Legal/2006 dated 14th September 2006 and norms, standards, procedures and conditions prescribed by the Council from time to time and based on the recommendations of Appraisal Committee / Expert Committee, I am directed to convey the extension of approval of the Council to DEPARTMENT OF CHEMICAL TECHNOLOGY, DR. BABASAHEB AMBEDKAR MARATHWADA UNIVERSITY, AURANGABAD - 431 004 for conduct of the following courses with the intake indicated below:

Name of the Course(s)	Existing Intake	Revised Intake	Period of approval
CHEMICAL TECHNOLOGY	40	40	2008-10*
M.TECH CHEMICAL TECH (DRUGS & PHARMACEUTICALS)	10	10	
Total	50	50	

* The compliance Report along with requisite processing fee is required to be submitted every year by 31st August irrespective of the period of approval.

The above approval is subject to rectification of the following observations / deficiencies / specific conditions by 31st August 2008.

➤ Faculty :


- ❖ Faculty with proper cadre ratio, requisite qualifications and experience to be appointed in all the disciplines as per AICTE norms.
- ❖ AICTE pay scales to be implemented for all faculty members.
- ❖ Atleast one Ph D and two PG qualified faculty to be made available for PG programme.

➤ BUILT-UP AREA:

	Required	Available	Shortfall Number
Total Built-Up Area	1989	1729	260
Instructional Area	1020	610	410

➤ Others :

- ❖ The deficiencies communicated in the last approval letter are not fully complied with.
- ❖ Infrastructural facilities in terms of Built up Area/equipments /machinery, faculty, library etc to made available as per AICTE norms/syllabus.



7वाँ तल, चन्द्रलोक भवन, जनपथ, नई दिल्ली-110001

7th Floor, Chander Lok Building, Janpath, New Delhi-110001

Phone : 011-23724151-57 Fax : 011-23724183 Website : www.aicte.ernet.in

23-M

AICTE file
Dhruv
12/06
Cdl